

3M Personal Safety Division
H-700 Cap Style and H-800 Full Brim Series Hard Hats

Authorised Distributor:



Ultimate Comfort Tough Performance

With engineering advancements in suspension design, a lightweight shell, a patented UV indicator, and numerous customization options, the H-700 and H-800 help alleviate workers' frustrations with hard hats on the job. The H-700 and H-800 – innovations in comfort and protection you expect from 3M.



Innovative design takes hard hat comfort to the next level

3M's unique, lightweight shell sits lower on the head to reduce pressure points and increase security.


3M™ Scotchlite™
Reflective Material for
enhanced visibility



Optimized comfort with
3 levels of adjustment



Smooth, easy turning
ratchet suspension



H-700 Cap Style



Optional Uvicator™ Sensor lets wearer know when to replace
hard hat due to UV exposure



Custom logo
programs available



Absorbent brow pad
provides comfort
and ventilation



4- and 6-point suspension combinations



Optional venting encourages airflow



H-800 Full Brim



Colors Available

| | | | | | | |
|--------|-------|--------|-----------------|-----------------|-------|-----|
| Red | Blue | White | Gray | Navy Blue | Black | Tan |
| Yellow | Green | Orange | High Viz Yellow | High Viz Orange | Pink | |



Optional elastic chinstrap for extra security

- High Viz hard hat colors meet ANSI Z89.1-2009 High-Visibility Performance requirements
- Non-vented hard hats meet ANSI/ISEA Z89.1-2009 Type I, Class C, G and E requirements
- Vented hard hats meet ANSI/ISEA Z89.1-2009 Type I, Class C requirements

| Part Number | Description (Ship Qty. – 20 ea/cs) | Color |
|-------------|--|-----------------|
| H-701P | 3M™ Hard Hat | White |
| H-702P | 3M™ Hard Hat | Yellow |
| H-703P | 3M™ Hard Hat | Blue |
| H-704P | 3M™ Hard Hat | Green |
| H-705P | 3M™ Hard Hat | Red |
| H-706P | 3M™ Hard Hat | Orange |
| H-707P | 3M™ Hard Hat | High Viz Orange |
| H-708P | 3M™ Hard Hat | Gray |
| H-709P | 3M™ Hard Hat | High Viz Yellow |
| H-710P | 3M™ Hard Hat | Navy Blue |
| H-711P | 3M™ Hard Hat | Tan |
| H-712P | 3M™ Hard Hat | Black |
| H-713P | 3M™ Hard Hat | Pink |
| H-701R | 3M™ Hard Hat | White |
| H-702R | 3M™ Hard Hat | Yellow |
| H-703R | 3M™ Hard Hat | Blue |
| H-704R | 3M™ Hard Hat | Green |
| H-705R | 3M™ Hard Hat | Red |
| H-706R | 3M™ Hard Hat | Orange |
| H-707R | 3M™ Hard Hat | High Viz Orange |
| H-708R | 3M™ Hard Hat | Gray |
| H-709R | 3M™ Hard Hat | High Viz Yellow |
| H-710R | 3M™ Hard Hat | Navy Blue |
| H-711R | 3M™ Hard Hat | Tan |
| H-712R | 3M™ Hard Hat | Black |
| H-713R | 3M™ Hard Hat | Pink |
| H-701V | 3M™ Hard Hat, Vented | White |
| H-702V | 3M™ Hard Hat, Vented | Yellow |
| H-703V | 3M™ Hard Hat, Vented | Blue |
| H-704V | 3M™ Hard Hat, Vented | Green |
| H-705V | 3M™ Hard Hat, Vented | Red |
| H-706V | 3M™ Hard Hat, Vented | Orange |
| H-707V | 3M™ Hard Hat, Vented | High Viz Orange |
| H-708V | 3M™ Hard Hat, Vented | Gray |
| H-709V | 3M™ Hard Hat, Vented | High Viz Yellow |
| H-710V | 3M™ Hard Hat, Vented | Navy Blue |
| H-711V | 3M™ Hard Hat, Vented | Tan |
| H-712V | 3M™ Hard Hat, Vented | Black |
| H-713V | 3M™ Hard Hat, Vented | Pink |
| H-701R-UV | 3M™ Hard Hat with Uvicator™ Sensor | White |
| H-702R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Yellow |
| H-703R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Blue |
| H-704R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Green |
| H-705R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Red |
| H-706R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Orange |
| H-707R-UV | 3M™ Hard Hat with Uvicator™ Sensor | High Viz Orange |
| H-708R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Gray |
| H-709R-UV | 3M™ Hard Hat with Uvicator™ Sensor | High Viz Yellow |
| H-710R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Navy Blue |
| H-711R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Tan |
| H-712R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Black |
| H-713R-UV | 3M™ Hard Hat with Uvicator™ Sensor | Pink |
| H-701V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | White |
| H-702V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Yellow |
| H-703V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Blue |
| H-704V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Green |
| H-705V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Red |

⚠WARNING

3M™ Hard Hat H-700 Series provides limited protection only. **Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death.** For proper use, see supervisor, User Instructions, or call 3M Occupational Health and Environmental Safety Division (OH&ESD) Technical Assistance.

3M™ Hard Hat H-800 Series provides limited protection only. **Misuse or failure to follow warnings and User Instructions may result in serious personal injury or death.** For proper use, see supervisor, User Instructions, or call 3M Personal Safety Division Technical Assistance.

3M

Personal Safety Division
 3M Center
 Building 235-2W-70
 St. Paul, MN 55144-1000

For more information:

In U.S.
 Technical Assistance 1-800-243-4630
 Customer Care Center 1-800-328-1667
 3M.com/PPESafety

In Canada
 Technical Assistance 1-800-267-4414
 Customer Care 1-800-364-3577
 3M.ca/PPESafety

| Part Number | Description (Ship Qty. – 20 ea/cs) | Color |
|-------------|--|-----------------|
| H-706V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Orange |
| H-707V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | High Viz Orange |
| H-708V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Gray |
| H-709V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | High Viz Yellow |
| H-710V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Navy Blue |
| H-711V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Tan |
| H-712V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Black |
| H-713V-UV | 3M™ Hard Hat with Uvicator™ Sensor, Vented | Pink |
| H-700-RS4 | 3M™ Hard Hat Suspension Replacement | — |
| H-700-PS4 | 3M™ Hard Hat Suspension Replacement | — |
| H-700-BP | 3M™ Hard Hat Replacement Brow Pad | — |
| H-700-S6 | 3M™ Series Hard Hat Suspension 6-Point Strap | — |

| Part Number | Description (Ship Qty. – 20 ea/cs) | Color |
|-------------|--|-----------------|
| H-801R | 3M™ Full Brim Hard Hat | White |
| H-802R | 3M™ Full Brim Hard Hat | Yellow |
| H-803R | 3M™ Full Brim Hard Hat | Blue |
| H-804R | 3M™ Full Brim Hard Hat | Green |
| H-805R | 3M™ Full Brim Hard Hat | Red |
| H-806R | 3M™ Full Brim Hard Hat | Orange |
| H-807R | 3M™ Full Brim Hard Hat | High Viz Orange |
| H-808R | 3M™ Full Brim Hard Hat | Gray |
| H-809R | 3M™ Full Brim Hard Hat | High Viz Yellow |
| H-810R | 3M™ Full Brim Hard Hat | Navy Blue |
| H-811R | 3M™ Full Brim Hard Hat | Tan |
| H-812R | 3M™ Full Brim Hard Hat | Black |
| H-813R | 3M™ Full Brim Hard Hat | Pink |
| H-801V | 3M™ Full Brim Hard Hat, Vented | White |
| H-802V | 3M™ Full Brim Hard Hat, Vented | Yellow |
| H-803V | 3M™ Full Brim Hard Hat, Vented | Blue |
| H-804V | 3M™ Full Brim Hard Hat, Vented | Green |
| H-805V | 3M™ Full Brim Hard Hat, Vented | Red |
| H-806V | 3M™ Full Brim Hard Hat, Vented | Orange |
| H-807V | 3M™ Full Brim Hard Hat, Vented | High Viz Orange |
| H-808V | 3M™ Full Brim Hard Hat, Vented | Gray |
| H-809V | 3M™ Full Brim Hard Hat, Vented | High Viz Yellow |
| H-810V | 3M™ Full Brim Hard Hat, Vented | Navy Blue |
| H-811V | 3M™ Full Brim Hard Hat, Vented | Tan |
| H-812V | 3M™ Full Brim Hard Hat, Vented | Black |
| H-813V | 3M™ Full Brim Hard Hat, Vented | Pink |
| H-801R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | White |
| H-802R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Yellow |
| H-803R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Blue |
| H-804R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Green |
| H-805R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Red |
| H-806R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Orange |
| H-807R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | High Viz Orange |
| H-808R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Gray |
| H-809R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | High Viz Yellow |
| H-810R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Navy Blue |
| H-811R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Tan |
| H-812R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Black |
| H-813R-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor | Pink |
| H-801V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | White |
| H-802V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Yellow |
| H-803V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Blue |
| H-804V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Green |
| H-805V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Red |
| H-806V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Orange |
| H-807V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | High Viz Orange |
| H-808V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Gray |
| H-809V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | High Viz Yellow |
| H-810V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Navy Blue |
| H-811V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Tan |
| H-812V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Black |
| H-813V-UV | 3M™ Full Brim Hard Hat with Uvicator™ Sensor, Vented | Pink |
| H-800-RS4 | 3M™ Hard Hat Suspension Replacement | — |
| H-800-BP | 3M™ Hard Hat Replacement Brow Pad | — |
| H-800-S6 | 3M™ Hard Hat Suspension 6-Point Strap | — |

3M and all other trademarks used herein are trademarks of 3M Company, used under license in Canada. Please recycle. Printed in U.S.A. © 3M 2014. All rights reserved. 70-0716-7098-1

Authorised Distributor:

SHEIDA
 Sheida International Co LLC
 P.O.Box 120, PC 114
 Muscat, Sultanate of Oman
 Tel: +968 92803889
 Email: info@sheidainternational.com
 Web: www.sheidainternational.com